



MARK	DATE	REVISION	REVISER	APP .BY
△				
△				
△				

MODEL NO		EBL		
MATERIAL		BODY-AL		
		LENS-CHEMICAL TEMPERED GLASS		
		BRACKET-SUS		
COLOR OF LENS		CLEAR		
MODEL		EBL300	EBL500	EBL600
POWER CONSUMPTION	DC 24V	—	15W	18W
	AC 220V	10W	—	—
LED		CHIP LED		
PROTECTION GRADE		WATER & DUST PROOF IP67		
CABLE ENTRY		M12		

MODEL	B Bracket		C Bracket	
	L1	L2	L1	L2
EBL300	294	314	304	320
EBL500	508	528	515	531
EBL600	592	612	602	618

ISO2768-1 : CLASS OF TOLERANCE						SURFACE FINISH						
FOR LINEAR DIMENSIONS		f	m	c	(V)		Nr.	DWG NO.	TITLE/NAME	MAL'T	QT'Y	REFERENCE
	0.5~3	±0.05	±0.1	±0.2	-		DSND BY	CHKD BY	CHKD BY	APRV BY	VIEW	DATE
	3~6			±0.3	±0.5		J.K.HAN	J.H.PARK		J.I.BAE	3	2022.9.20
	6~30	±0.1	±0.2	±0.5	±1		TITLE			MODEL		
	30~120	±0.15	±0.3	±0.8	±1.5		EBL			EBL		
	120~400	±0.2	±0.5	±1.2	±2.5		OUTLINE DRAWING					
FOR ANGULAR DIMENSIONS	400~1000	±0.3	±0.8	±2	±4					EBL_OUT		
	0~10	±1°		±1°30'	±3°					DWG. NO.		
	10~50	±0°30'		±1°	±2°							
	50~120	±0°20'		±0°30'	±1°					SCALE	SIZE	REV
	120~400	±0°10'		±0°13'	±0°30'					N/S	A4	00
												SHEET 1/1